
REFERENCES AND BIBLIOGRAPHY

- Albanese, J.R., et al.** 1984. *Geological and Hydrogeologic Research at the Western New York Nuclear Service Center, West Valley, New York. Final Report, August 1982-December 1983.* U.S. Nuclear Regulatory Commission Report. NUREG/CR-3782.
- American Society of Mechanical Engineers.** 1989. *Quality Assurance Program Requirements for Nuclear Facilities.* ASME-NQA-1. New York: The American Society of Mechanical Engineers.
- Bergeron, M.P., et al.** 1987. *Geohydrologic Conditions at the Nuclear Fuels Reprocessing Plant and Waste Management Facilities at the Western New York Nuclear Services Center, Cattaraugus County, New York.* U.S. Geological Survey Water Resources Investigations Report 85-4145.
- Bergeron, M.P., and E.F. Bugliosi.** 1988. *Groundwater Flow Near Two Radioactive Waste Disposal Areas at the Western New York Nuclear Service Center, Cattaraugus County, New York – Results of Flow Simulation.* U.S. Geological Survey Water Resources Investigations Report 86-4351.
- Broughton, J.G., et al.** 1966. Geologic Map of New York State. New York State Museum and Science Service Map and Chart Series No.5.
- Citizen Task Force.** July 29, 1998. *West Valley Citizen Task Force Final Report.*
- Dames & Moore.** May 1991. *Summary Report: RCRA Well Installation Program 1989-1990.*
- _____. 1995. *Early Warning System for Evaluation of Groundwater Monitoring Results from the Vicinity of the Proposed Groundwater Extraction System.* Letter: CDF1004:CDF-0.01. AR # 95-692.
- _____. May 1995. *North Plateau Drilling, Sampling, and Well Construction Program Conducted in April 1995.*
- _____. July 1995. *Analysis of Hydraulic Conductivity Tests Conducted on Selected Wells at the WVDP: July 1995.* AR # 95-661.

References and Bibliography

- _____. 1996. *Evaluation of the Filtration of Groundwater Samples at the West Valley Demonstration Project*. AR # 96-1212.
- _____. June 1996. *North Plateau Groundwater Treatment System Chemical Removal Efficiencies*. AR # 96-1138R-1.
- _____. July 1996. *Analysis of Hydraulic Conductivity Tests Conducted on Selected Wells at the WVDP: July 1996*. AR # 96-1287.
- _____. September 1996. *North Plateau Drilling, Sampling, and Well Installation Program — August 1995 and April 1996*.
- _____. May 1998. *Evaluation of Pumping Information and Water Quality Trends from the NDA Interceptor Trench (draft)*. AR# 98-435.
- Dunning, Donald E.** nd. *Estimates of Internal Dose Equivalent from Inhalation and Ingestion of Selected Radionuclides*. Revised. WIPP-DOE-176.
- Failace, E., and J. Prowse.** 1990. *Radiological Parameters for Assessment of WVDP Activities*. WVDP-065.
- International Commission on Radiological Protection.** 1959. *Recommendations of the International Commission on Radiological Protection – Permissible Dose for Internal Radiation*. ICRP Publication 2. Oxford: Pergamon Press.
- _____. 1975. *Report of the Task Group on Reference Man*. ICRP Publication 23. Oxford: Pergamon Press.
- _____. 1977. *Recommendations of the International Commission on Radiological Protection*. ICRP Publication 26. Oxford: Pergamon Press.
- _____. 1979. *Recommendations of the International Commission on Radiological Protection – Limits for Intakes of Radionuclides by Workers*. ICRP Publication 30. Oxford: Pergamon Press.
- _____. 1991. *1990 Recommendations of the International Commission on Radiological Protection*. ICRP Publication 60. Oxford: Pergamon Press.
- LaFleur, R.G.** 1979. *Glacial Geology and Stratigraphy of Western New York Nuclear Service Center and Vicinity, Cattaraugus and Erie Counties, New York*. U.S. Geological Survey Open File Report 79-989.
- Marchetti, S.** December 17, 1982. *Tritium in Groundwater*. Letter (WD:82:0361) to W. Hannum, Department of Energy, West Valley Project Office.

- Moore, R.E., et al.** June 1979. *AIRDOS-EPA: A Computerized Methodology for Estimating Environmental Concentrations and Dose to Man from Airborne Releases of Radionuclides*. ORNL-5532.
- National Council on Radiation Protection and Measurements.** December 1979. *Environmental Radiation Measurements*. NCRP-50. Washington, D.C.
- _____. July 1985. *Recommendations on Radiation Exposure Limits*. Draft. Washington, D.C.
- _____. 1987. *Ionizing Radiation Exposure of the Population of the United States*. NCRP-93. Bethesda, Maryland.
- National Research Council.** 1990. *Health Effects of Exposure to Low Levels of Ionizing Radiation*. BEIR V. Washington: National Academy Press.
- New York State Department of Environmental Conservation.** 1991. *Draft Cleanup Policy and Guidelines, Appendix B - Water Cleanup Criteria*.
- New York State Department of Health.** nd. *Environmental Laboratory Approval Program (ELAP) Certification Manual*.
- Oak Ridge National Laboratory.** May 1980. *User's Manual for LADTAP II - A Computer Program for Calculating Radiation Exposure to Man from Routine Release of Nuclear Reactor Liquid Effluents*. NUREG/CR-1276.
- Rickard, L.V.** 1975. *Correlation of the Silurian and Devonian Rocks in New York State*. New York State Museum and Science Service Map and Chart Series No. 24.
- Sheppard, M.I., and D. H. Thibault.** 1990. *Default Soil Solid/Liquid Partition Coefficients, K_d s, for Four Major Soil Types: A Compendium*. Health Physics. 59 (no. 4): 471-482.
- Simpson, D.B., and B.L. McGill.** 1980. *LADTAP II: A Computer Program for Calculating Radiation Exposure to Man from Routine Release of Nuclear Reactor Liquid Effluents*. Technical Data Management Center. ORNL/NUREG/TDMC-1.
- Standish, P.N.** 1985. *Closure of the Construction Landfill Site*. Letter (WD:85:0434) to W.H. Hannum, Department of Energy, West Valley Project Office.
- Tesmer, I.H.** 1975. *Geology of Cattaraugus County, New York*. Buffalo Society of Natural Sciences Bulletin, Vol. 27.
- Tseng, J.C.** November 4, 1975. *Clarification of Applicable Radiation Protection Standards for the Public and the Environment*. Memorandum from EH-231, Office of Environmental Guidance and Compliance. Washington, D.C.

References and Bibliography

U.S. Congress. October 23, 1976. *Resource Conservation and Recovery Act of 1976*. Public Law 94-580, 90 Stat. 2795, Title 42.

_____. October 1, 1980. *An Act to Authorize the Department of Energy to Carry Out a High-Level Liquid Nuclear Waste Management Demonstration Project at the Western New York Service Center in West Valley, New York*. Public Law 96-368 [S.2443]. Congressional Record, Vol. 126.

_____. December 11, 1980. *Comprehensive Environmental Response, Compensation, and Liability Act of 1980*. Public Law 96-150, 94 Stat. 2767, Title 26.

_____. October 17, 1986. *Superfund Amendments and Reauthorization Act of 1986*. Public Law 99-499, 100 Stat. 1613, Title 10.

U.S. Department of Energy. February 24, 1981. *Environmental Protection, Safety and Health Protection Information Reporting Requirements*. DOE Order 5484.1, including Change 7 (October 17, 1990). Washington, D.C.

_____. July 1981. *A Guide for Environmental Radiological Surveillance at U.S. Department of Energy Installations*. DOE/EP-0023. Washington, D.C.

_____. June 1982. *Final Environmental Impact Statement: Long-Term Management of Liquid High Level Radioactive Wastes Stored at the Western New York Nuclear Services Center, West Valley*. DOE/EIS-0081.

_____. July 1983. *A Guide for Effluent Radiological Measurements at DOE Installations*. DOE/EP-0096. Washington, D.C.

_____. September 23, 1986. *Environmental Safety and Health Program for Department of Energy Operations*. DOE Order 5480.1B, including Change 5 (May 10, 1993). Washington, D.C.

_____. July 1988. *Internal Dose Conversion Factors for Calculation of Dose to the Public*. DOE/EH-0071.

_____. November 9, 1988. *General Environmental Protection Program*. DOE Order 5400.1, including Change 1 (June 29, 1990). Washington, D.C.

_____. February 1990. *Radiation Protection of the Public and Environment*. DOE Order 5400.5, including Change 2 (January 7, 1993). Washington, D.C.

_____. January 1991. *Environmental Regulatory Guide for Radiological Effluent Monitoring and Environmental Surveillance*. DOE/EH-0173T. Washington, D.C.

- _____. September 30, 1995. *Environment, Safety, and Health Reporting*. DOE Order 231.1, including Change 1 (October 26, 1995). Washington, D.C.
- _____. June 23, 1998. *Supplemental Analysis II of Environmental Impacts Resulting from Modifications in the West Valley Demonstration Project*. WVDP-321.
- _____. September 29, 1999. *Quality Assurance*. DOE Order 414.1A. Washington, D.C.
- U. S. Environmental Protection Agency.** 1976. *National Interim Primary Drinking Water Regulations*. EPA-570/9-76-003. Washington, D.C.: Office of Water Supply.
- _____. 1984a. *Drinking Water Guidelines*. 40 CFR 141, National Secondary Drinking Water Regulations, Subpart B, Maximum Contaminant Levels.
- _____. 1984b. *Drinking Water Guidelines*. 40 CFR 143, National Secondary Drinking Water Regulations, Section 143.3, Secondary Maximum Contaminant Levels.
- _____. September 1986. *Groundwater Monitoring Technical Enforcement Guidance Document*. OWSER-9950.1. Washington, D.C.
- _____. November 1986. *Test Methods for Evaluating Solid Waste*. Vol. IA: Laboratory Manual, Physical Chemical Methods. EPA Manual, SW-846, 3rd ed. Update II, September 1994. Washington, D.C.: Office of Solid Waste and Emergency Response.
- _____. February 1989. *Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities. Interim Final Guidance*. EPA/530-SW-89-026. Washington, D.C.
- _____. December 15, 1989. *National Emissions Standards for Hazardous Air Pollutants: Standards for Radionuclides*. 40 CFR 61. Washington, D.C.: U.S. Government Printing Office.
- _____. 1991. *U.S. EPA Contract Laboratory Program: Target Compound List and Contract-Required Quantitation Limits*.
- _____. March 1992. *User's Guide for CAP88-PC*. Version 1.0. Las Vegas, NV: U.S. Environmental Protection Agency Office of Radiation Programs. 402-B-92-001.
- _____. 1995. *Appendix 33 Ground-water Monitoring List*. Title 6 NYCRR Subpart 373-2.
- U.S. Nuclear Regulatory Commission.** July 1977. *Regulatory Guide 1.111: Methods for Estimating Atmospheric Transport and Dispersion of Gaseous Effluents in Routine Releases from Light-Water-Cooled Reactors*.

References and Bibliography

- _____. October 1977. *Regulatory Guide 1.109: Calculation of Annual Doses to Man from Routine Releases of Reactor Effluents for the Purpose of Evaluating Compliance with 10 CFR Part 50, Appendix I.*
- West Valley Demonstration Project.** 1986. *WVDP Radioactive Air Emissions Permit Application General Information. Submitted to EPA Region II.*
- West Valley Nuclear Services Co., Inc.** 1992. *Groundwater Seep Investigation Report: 1,1,1-trichloroethane Detection.* Draft A, Rev. 0. WVDP-138.
- _____. January 1992. *Environmental Media Management Plan at the West Valley Demonstration Project.*
- _____. December 1993. *RCRA Facility Investigation (RFI) Work Plan.* West Valley Demonstration Project. WVDP-RFI-014. Rev. 0.
- _____. 1994. *Environmental Quality Assurance Plan.* WVDP-099.
- _____. 1995. *Subsurface Probing Investigation of the North Plateau at the West Valley Demonstration Project.* WVDP-220.
- _____. May 1, 1996. *Asbestos Management Plan.* Rev. 4. WVDP-072.
- _____. January 21, 1997. *North Plateau Groundwater Seepage Sampling and Analysis Plan.* WVDP-240.
- _____. April 1997. *Groundwater Protection Plan.* WVDP-091.
- _____. October 27, 1997. *WVDP Deer Management Program Plan.* WVDP-289.
- _____. February 1998a. *Site Treatment Plan.* Fiscal Year 1997 Update.
- _____. February 1998b. *WVNS Environmental Management System.* Rev. 9. WV-980.
- _____. May 1998. *Sampling and Analysis Plan for Additional Characterization of the Core Area of the North Plateau Plume.*
- _____. June 23, 1998. *Supplement Analysis II of Environmental Impacts Resulting from Modifications in the West Valley Demonstration Project.* WVDP-321.
- _____. August 19, 1998. *Documentation and Reporting of Environmental Monitoring Data.* EMP-11.
- _____. December 1998. *Groundwater Monitoring Plan.* WVDP-239.

_____. December 28, 1998. *PCB and PCB-contaminated Material Management Plan*. Rev.5. WVDP-080.

_____. February 1999. *Site Treatment Plan, Fiscal Year 1998 Update*. WVDP-299.

_____. February 5, 1999. *Environmental Monitoring Program Plan*. WVDP-098.

West Valley Nuclear Services Co., Inc. and Dames & Moore. December 1996. *Field Data Collection Plan for Evaluating Chromium and Nickel in Groundwater*. WVDP-266.

_____. June 1998a. *West Valley Demonstration Project Site Environmental Report Calendar Year 1997*.

_____. June 1998b. *Final Report: Evaluation of the Pilot Program to Investigate Chromium and Nickel Concentrations in Groundwater in the Sand and Gravel Unit*.

_____. December 1998. *Report of Six-month Groundwater and Surface Water Sampling in the NDA Area*. AR# 99-105.

West Valley Nuclear Services Co. LLC and Dames & Moore. March 1999. *North Plateau Groundwater Seepage Trend Evaluation Report - draft*.

Yager, R.M. 1987. *Simulation of Groundwater Flow near the Nuclear Fuel Reprocessing Facility at the Western New York Nuclear Service Center, Cattaraugus County, New York*. 85-4308. Ithaca, New York: U.S. Geological Survey.

GLOSSARY

Accuracy. The degree of agreement between a measurement and its true value. The accuracy of a data set is assessed by evaluating results from standards or spikes containing known quantities of an analyte.

Action plan. An action plan addresses assessment findings and root causes that have been identified in an audit or an assessment report. It is intended to set forth specific actions that the site will undertake to remedy deficiencies. The plan includes a timetable and funding requirements for implementation of the planned activities.

Alluvial fan. A cone-shaped deposit of alluvium made by a stream where it runs out onto a level plain.

Alluvium. Sedimentary material deposited by flowing water such as a river.

Aquifer. A water-bearing unit of permeable rock or soil that will yield water in usable quantities to wells. *Confined aquifers* are bounded above and below by less permeable layers. Groundwater in a confined aquifer is under a pressure greater than the atmospheric pressure. *Unconfined aquifers* are bounded below by less permeable material but are not bounded above. The pressure on the groundwater at the surface of an unconfined aquifer is equal to that of the atmosphere.

As low as reasonably achievable (ALARA). An approach to radiation protection that advocates controlling or managing exposures (both individual and collective) to the work force and the general public and releases of radioactive material to the environment as low as social, technical, economic, practical, and public policy considerations permit. As used in DOE Order 5400.5, ALARA is not a dose limit but, rather, a process that has as its objective the attainment of dose levels as far below the applicable limits of the Order as practicable.

Background radiation. Natural and manmade radiation such as cosmic radiation and radiation from naturally radioactive elements and from commercial sources and medical procedures.

Becquerel (Bq). A unit of radioactivity equal to one nuclear transformation per second.

Categorical exclusion. A proposed action that normally does not require an environmental assessment or an environmental impact statement and that the Department of Energy has determined does not individually or cumulatively have a significant effect on the human environment. See 10 CFR 1021.410.

Class A, B, and C low-level waste. Waste classifications from the Nuclear Regulatory Commission's 10 CFR Part 61 rule. Maximum concentration limits are set for specific isotopes. Class A waste disposal is minimally restricted with respect to the form of the waste. Class B waste must meet more rigorous requirements to ensure physical stability after disposal. Greater concentration limits are set for the same isotopes in Class C waste, which also must meet physical stability requirements. Moreover, special measures must be taken at the disposal facility to protect against inadvertent intrusion.

Compliance findings. Conditions that may not satisfy applicable environmental or safety and health regulations, DOE Orders and memoranda, enforcement actions, agreements with regulatory agencies, or permit conditions.

Confidence coefficient or factor. The chance or probability, usually expressed as a percentage, that a confidence interval includes some defined parameter of a population. The confidence coefficients usually associated with confidence intervals are 90%, 95%, and 99%.

Consistency. The condition of showing steady conformity to practices. In the environmental monitoring program, approved procedures are in place in order to ensure that data collection activities are carried out in a consistent manner so that variability is minimized.

Cosmic radiation. High-energy subatomic particles from outer space that bombard the earth's atmosphere. Cosmic radiation is part of natural background radiation.

Counting error. The variability caused by the inherent random nature of radioactive disintegration and by the detection process.

Curie (Ci). A unit of radioactivity equal to 37 billion (3.7×10^{10}) nuclear transformations per second.

Data set. A group of data (e.g., factual information such as measurements or statistics) used as a basis for reasoning, discussion, or calculation.

Decay (radioactive). Disintegration of the nucleus of an unstable nuclide by spontaneous emission of charged particles and/or photons or by spontaneous fission.

Derived concentration guide (DCG). The concentration of a radionuclide in air and water that, under conditions of continuous exposure for one year by one exposure mode (i.e., ingestion of water, submersion in air, or inhalation), would result in an effective dose equivalent of 100 mrem (1 mSv). See Table K-1 in Appendix K.

Detection limit or level. The smallest amount of a substance that can be distinguished in a sample by a given measurement procedure at a given confidence level. (See **lower limit of detection**.)

Dispersion (groundwater). The process whereby solutes are spread or mixed as they are transported by groundwater as it moves through sediments.

Dosimeter. A portable device for measuring the total accumulated exposure to ionizing radiation.

Downgradient. The direction of water flow from a reference point to a selected point of interest. (See **gradient**.)

Effective dose. See **effective dose equivalent** under **radiation dose**.

Effluent. Any treated or untreated air emission or liquid discharge, including storm water runoff, at a DOE site or facility.

Effluent monitoring. Sampling or measuring specific liquid or gaseous effluent streams for the presence of pollutants.

Enhanced work planning. A process that evaluates and improves the program by which work is identified, planned, approved, controlled, and executed. The key elements are line management ownership, a graded approach to work management based on risk and complexity, worker involvement beginning at the earliest phases of work management, organizationally diverse teams, and organized, institution-wide communication.

Environmental assessment. An evaluation that provides sufficient evidence and analysis for determining whether to prepare an environmental impact statement or a finding of no significant impact. See 40 CFR 1508.9.

Environmental impact statement. A detailed statement that includes the environmental impact of the proposed action, any adverse environmental effects that cannot be avoided should the proposal be implemented, and alternatives to the proposed action. See Section 102 (2) (C) of the National Environmental Policy Act.

Environmental management system. The systematic application of business management practices to environmental issues, including defining the organizational structure, planning for activities, identifying responsibilities, and defining practices, procedures, processes, and resources.

Environmental monitoring. The collection and analysis of samples or the direct measurement of environmental media. Environmental monitoring consists of two major activities: effluent monitoring and environmental surveillance.

Environmental surveillance. The collection and analysis of samples or the direct measurement of air, water, soil, foodstuff, and biota in order to determine compliance with applicable standards and permit requirements.

Erg. One-billionth (1E-09) of the energy released by a 100-watt bulb in 1 second.

Evapotranspiration. The combined total precipitation returned to the air through direct evaporation and by transpiration of vegetation.

Exposure. The subjection of a target (usually living tissue) to radiation.

Fallout. Radioactive materials mixed into the earth's atmosphere. Fallout constantly precipitates onto the earth.

Finding. A Department of Energy compliance term. A finding is a statement of fact concerning a condition in the Environmental, Safety, and Health program that was investigated during an appraisal. Findings include best management practice findings, compliance findings, and noteworthy practices. A finding may be a simple statement of proficiency or a description of deficiency (i.e., a variance from procedures or criteria). See also **self-assessment**.

Fission. The act or process of splitting into parts. A nuclear reaction in which an atomic nucleus splits into fragments, i.e., fission products, usually fragments of comparable mass, with the evolution of approximately 100 million to several hundred million electron volts of energy.

Gamma isotopic (also gamma scan). An analytical method by which the quantity of several gamma ray-emitting radioactive isotopes may be determined simultaneously. Typical nuclear fuel cycle isotopes determined by this method include but are not limited to Co-60, Zr-95, Ru-106, Ag-110m, Sb-125, Cs-134, Cs-137, and Eu-154. Naturally occurring isotopes for which samples also often are analyzed are Be-7, K-40, Ra-224, and Ra-226.

Gradient. Change in value of one variable with respect to another variable, especially vertical or horizontal distance.

Groundwater. Subsurface water in the pore spaces of soil and geologic units.

Half-life. The time in which half the atoms of a radionuclide disintegrate into another nuclear form. The half-life may vary from a fraction of a second to thousands of years.

Hazardous waste. A waste or combination of wastes that because of quantity, concentration, or physical, chemical, or infectious characteristics may: a) cause or significantly contribute to an increase in mortality or an increase in serious irreversible or incapacitating reversible illness; or (b) pose a substantial present or potential hazard to human health or the environment when improperly treated, stored, transported, disposed of, or otherwise managed.

High-level waste (HLW). The highly radioactive waste material that results from the reprocessing of spent nuclear fuel, including liquid waste produced directly in reprocessing and any solid waste derived from the liquid, that contains a combination of transuranic waste and fission products in concentrations sufficient to require permanent isolation. (See also **transuranic waste**.)

Hydraulic conductivity. The ratio of flow velocity to driving force for viscous flow under saturated conditions of a specified liquid in a porous medium; the ratio describing the rate at which water can move through a permeable medium.

Integrated safety management system (ISMS). The integrated safety management system (ISMS) describes the programs, policies, and procedures used by WVNS and the DOE to ensure that WVNS establishes a safe workplace for the employees, the public, and the environment. The guiding principles of ISMS are line management responsibility for safety; clear roles and responsibilities; competence commensurate with responsibilities; balanced priorities; identification of safety standards and requirements; hazard controls; and operations authorization.

Interim status. The status of any currently existing facility that becomes subject to the requirement to have a RCRA permit because of a new statutory or regulatory amendment to RCRA.

Interstitial. The (annular) space between the inner and outer tank walls in a double-walled storage tank.

Ion. An atom or group of atoms with an electric charge.

Ion exchange. The reversible exchange of ions contained in solution with other ions that are part of the ion-exchange material.

Isotope. Different forms of the same chemical element that are distinguished by having the same number of protons but a different number of neutrons in the nucleus. An element can have many isotopes. For example, the three isotopes of hydrogen are protium, deuterium, and tritium, with one, two, and three neutrons in the nucleus, respectively.

Kame delta. A conical hill or short irregular ridge of gravel or sand deposited in contact with glacier ice.

Lacustrine sediments. A sedimentary deposit consisting of material pertaining to, produced by, or formed in a lake or lakes.

Land disposal restrictions (LDR). Regulations promulgated by the U.S. EPA (and by NYSDEC in New York State) governing the land disposal of hazardous wastes. The wastes must be treated using the best demonstrated available technology or must meet certain treatment standards before being disposed.

Lower limit of detection (LLD). The lowest limit of a given parameter an instrument is capable of detecting. A measurement of analytical sensitivity.

Low-level waste (LLW). Radioactive waste not classified as high-level waste, transuranic waste, spent fuel, or uranium mill tailings. (See **Class A, B, and C low-level waste.**)

Maximally exposed individual. A hypothetical person who remains in an uncontrolled area who would, when all potential routes of exposure from a facility's operations are considered, receive the greatest possible dose equivalent.

Mean. The average value of a series of measurements.

Millirem (mrem). A unit of radiation dose equivalent that is equal to one one-thousandth of a rem. An individual member of the public can receive up to 500 millirems per year according to DOE standards. This limit does not include radiation received for medical treatment or the 100 to 360 mrem that people receive annually from background radiation.

Minimum detectable concentration (MDC). Depending on the sample medium, the smallest amount or concentration of a radioactive or nonradioactive analyte that can be reliably detected using a specific analytical method. Calculations of the minimum detectable concentrations are based on the lower limit of detection.

Mixed waste. A waste that is both radioactive and hazardous. Also referred to as radioactive mixed waste (RMW).

n-Dodecane/tributyl phosphate. An organic solution composed of 30% tributyl phosphate (TBP) dissolved in n-dodecane used to first separate the uranium and plutonium from the fission products in the dissolved fuel and then to separate the uranium from the plutonium.

Neutron. An electrically neutral subatomic particle in the baryon family with a mass 1,839 times that of an electron, stable when bound in an atomic nucleus, and having a mean lifetime of approximately 16.6 minutes as a free particle.

Notice of violation. A letter of notice from a regional water engineer in response to an instance of significant noncompliance with a SPDES permit. Generally, an official notification from a regulatory agency of noncompliance with permit requirements.

Nucleus. The positively charged central region of an atom, made up of protons and neutrons and containing almost all of the mass of the atom.

Outfall. The end of a drain or pipe that carries wastewater or other effluents into a ditch, pond, or river.

Parameter. Any of a set of physical properties whose values determine the characteristics or behavior of something (e.g., temperature, pressure, density of air). In relation to environmental monitoring, a monitoring parameter is a constituent of interest. Statistically, the term “parameter” is a calculated quantity, such as a mean or variance, that describes a statistical population.

Particulates. Solid particles and liquid droplets small enough to become airborne.

Person-rem. The sum of the individual radiation dose equivalents received by members of a certain group or population. It may be calculated by multiplying the average dose per person by the number of persons exposed. For example, a thousand people each exposed to one millirem would have a collective dose of one person-rem.

Plume. The distribution of a pollutant in air or water after being released from a source.

Precision. The degree of reproducibility of a measurement under a given set of conditions. Precision in a data set is assessed by evaluating results from duplicate field or analytical samples.

Proglacial lake. A lake occupying a basin in front of a glacier; generally in direct contact with the ice.

Proton. A stable, positively charged subatomic particle in the baryon family with a mass 1,836 times that of an electron.

Pseudo-monitoring point. A theoretical monitoring location rather than an actual physical location; a calculation based on analytical test results of samples obtained from other associated, tributary, monitored locations. (Point 116 at the WVDP is classified as a “pseudo” monitoring point because samples are not actually physically collected at that location. Rather, using analytical results from samples collected from “real” upstream outfall locations, compliance with the total dissolved solids limit in the WVDP’s SPDES permit is calculated for this theoretical point.)

Quality factor. The extent of tissue damage caused by different types of radiation of the same energy. The greater the damage, the higher the quality factor. More specifically, the factor by which absorbed doses are multiplied to obtain a quantity that indicates the degree of biological damage produced by ionizing radiation. (See **radiation dose**.) The factor is dependent upon radiation type (alpha, beta, gamma, or x-ray) and exposure (internal or external).

Rad. Radiation absorbed dose. One hundred ergs of energy absorbed per gram.

Radiation. The process of emitting energy in the form of rays or particles that are thrown off by disintegrating atoms. The rays or particles emitted may consist of alpha, beta, or gamma radiation.

Alpha radiation. The least penetrating type of radiation. Alpha radiation can be stopped by a sheet of paper or the outer dead layer of skin.

Beta radiation. Electrons emitted from a nucleus during fission and nuclear decay. Beta radiation can be stopped by an inch of wood or a thin sheet of aluminum.

Gamma radiation. A form of electromagnetic, high-energy radiation emitted from a nucleus. Gamma rays are essentially the same as x-rays and require heavy shielding such as lead, concrete, or steel to be stopped.

Internal radiation. Radiation originating from a source within the body as a result of the inhalation, ingestion, or implantation of natural or manmade radionuclides in body tissues.

Radiation dose:

Absorbed dose. The amount of energy absorbed per unit mass in any kind of matter from any kind of ionizing radiation. Absorbed dose is measured in rads or grays.

Collective dose equivalent. The sum of the dose equivalents for all the individuals comprising a defined population. The per capita dose equivalent is the quotient of the collective dose equivalent divided by the population. The unit of collective dose equivalent is person-rem or person-sievert.

Collective effective dose equivalent. The sum of the effective dose equivalents for the individuals comprising a defined population. Units of measurement are person-rem or person-sieverts. The per capita effective dose equivalent is obtained by dividing the collective dose equivalent by the population. Units of measurement are rem or sieverts.

Committed dose equivalent. A measure of internal radiation. The predicted total dose equivalent to a tissue or organ over a fifty-year period after a known intake of a radionuclide into the body. It does not include contributions from sources of external penetrating radiation. Committed dose equivalent is measured in rem or sieverts.

Committed effective dose equivalent. The sum of the committed dose equivalents to various tissues in the body, each multiplied by the appropriate weighting factor. Committed effective dose equivalent is measured in rem or sieverts.

Radioactivity. A property possessed by some elements (such as uranium) whereby alpha, beta, or gamma rays are spontaneously emitted.

Radioisotope. A radioactive isotope of a specified element. Carbon-14 is a radioisotope of carbon. Tritium is a radioisotope of hydrogen. (See **isotope**.)

Radionuclide. A radioactive nuclide. Radionuclides are variations (isotopes) of elements. They have the same number of protons and electrons but different numbers of neutrons, resulting in different atomic masses. There are several hundred known nuclides, both manmade and naturally occurring.

Rem. An acronym for Roentgen Equivalent Man. A unit of radiation exposure that indicates the potential effect of radiation on human cells.

Remote-handled waste. At the WVDP, waste that has an external surface dose rate that exceeds 100 millirem per hour or a high level of alpha and/or beta surface contamination.

Self-assessment. Self-assessments are appraisals conducted by the WVDP to identify and correct any existing deficiencies in the environmental monitoring program. Under the WVDP environmental monitoring procedure *Self-Assessments for Environmental Programs*, information obtained from an appraisal is categorized as follows:

Key finding. A direct and significant violation of a Department of Energy regulatory or other applicable guidance or procedural requirement, or a recurring pattern of observed deficiencies that could result in such a violation. A finding is a deficiency that requires corrective action.

Observation. A weakness that, if not corrected, could result in a deficiency. An observation may result if an explicit procedural nonconformance is noted but the nonconformance is an isolated incident or of minor significance. An observation requires corrective action.

Comment or concern. A comment is a subjective opinion of the assessment team that may be used to improve any of the specific environmental monitoring program activities, noted in *Self-Assessments for Environmental Programs*, such as sample collection, preparation, logging, storage, and shipping; instrument and equipment calibration; data receipt and data entry; training requirements and records; and compliance with discharge permit requirements. Corrective action in response to a comment or concern is at the discretion of the cognizant staff.

Commendable practice. A significant strength noted during the course of a self-assessment.

Deficiency. A condition that does not meet or cannot be documented to meet applicable requirements.

Sievert. A unit of dose equivalent from the International System of Units (Système Internationale). Equal to one joule per kilogram.

Solid waste management unit (SWMU). Any discernible unit at which solid wastes have been placed at any time, irrespective of whether the unit was intended for the management of solid or hazardous waste. Such units include any area at a facility at which solid wastes have been routinely and systematically released.

Spent fuel. Nuclear fuel that has been used in a nuclear reactor; this fuel contains uranium, activation products, fission products, and plutonium.

Spill. A spill or release is defined as “any spilling, leaking, pumping, pouring, emitting, emptying, discharging, injecting, escaping, leaching, dumping, or otherwise disposing of substances from the ordinary containers employed in the normal course of storage, transfer, processing, or use.”

Standard deviation. An indication of the dispersion of a set of results around their average.

Super solid waste management unit (SSWMU). Individual solid waste management units that have been grouped and ranked into larger units — super solid waste management units — because some individual units are contiguous or so close together as to make monitoring of separate units impractical.

Surface water. Water that is exposed to the atmospheric conditions of temperature, pressure, and chemical composition at the surface of the earth.

Surveillance. The act of monitoring or observing a process or activity to verify conformance with specified requirements.

Thermoluminescent dosimeter (TLD). A device that luminesces upon heating after being exposed to radiation. The amount of light emitted is proportional to the amount of radiation to which the luminescent material has been exposed.

Transuranic waste. Waste containing transuranic elements, i.e., those elements with an atomic number greater than 92, including neptunium, plutonium, americium, and curium.

Upgradient. Referring to the flow of water or air, “upgradient” is analogous to upstream. Upgradient is a point that is “before” an area of study that is used as a baseline for comparison with downstream data. See **gradient** and **downgradient**.

Watershed. The area contained within a drainage divide above a specified point on a stream.

Water table. The upper surface in a body of groundwater; the surface in an unconfined aquifer or confining bed at which the pore water pressure is equal to atmospheric pressure.

X-ray. Penetrating electromagnetic radiations having wave lengths shorter than those of visible light. They are usually produced by bombarding a metallic target with fast electrons in a high vacuum. In nuclear reactions it is customary to refer to photons originating in the nucleus as gamma rays and those originating in the extranuclear part of the atom as x-rays. These rays are sometimes called roentgen rays after their discoverer, W.C. Roentgen.

ACRONYMS AND ABBREVIATIONS

ACM	Asbestos-containing material
ALARA	As Low As Reasonably Achievable
ANSI	American National Standards Institute
ASME	American Society of Mechanical Engineers
ASQC	American Society for Quality Control
BEIR	Committee on Biological Effects of Ionizing Radiation
BOD₅	Biochemical Oxygen Demand (5-day)
CAA	Clean Air Act
CDDL	Construction and Demolition Debris Landfill
CEDE	Committed Effective Dose Equivalent
CEMP	Code of Environmental Management Principles for Federal Agencies
CEQ	(President's) Council on Environmental Quality
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
CFR	Code of Federal Regulations
CO	Certificate-to-Operate
CPC	Chemical Process Cell
CPC-WSA	Chemical Process Cell Waste Storage Area
CSPF	Container Sorting and Packaging Facility
CSRF	Contact Size-reduction Facility
CSS	Cement Solidification System
CWA	Clean Water Act
CWAP	Clean Water Action Plan
CX	Categorical Exclusion
CY	Calendar Year
DCG	Derived Concentration Guide
DMR	Discharge Monitoring Report
DOE	(U.S.) Department of Energy
DOE-EM	Department of Energy, Office of Environmental Restoration and Waste Management
DOE-HQ	Department of Energy, Headquarters Office
DOE-OH	Department of Energy, Ohio Field Office
DOT	(U.S.) Department of Transportation
EA	Environmental Assessment

Acronyms and Abbreviations

EDE	Effective Dose Equivalent
EHS	Extremely Hazardous Substance
EIS	Environmental Impact Statement
EML	Environmental Measurements Laboratory
EMS	Environmental Management System
EPA	(U.S.) Environmental Protection Agency
EPCRA	Emergency Planning and Community Right-to-Know Act
ES&H	Environmental Safety and Health
ESR	(WVDP) Effluent Summary Report
EWP	Enhanced Work Planning
FFC Act	Federal Facility Compliance Act
FONSI	Finding of No Significant Impact
FRS	Fuel Receiving and Storage
FSFCA	Federal and State Facility Compliance Agreement
FY	Fiscal Year
GEL	General Engineering Laboratory
HEPA	High-efficiency Particulate Air (filter)
HLW	High-level (radioactive) Waste
HPIC	High-pressure Ion Chamber
HTO	Hydrogen Tritium Oxide
HVAC	Heating, Ventilation, and Air Conditioning
ICRP	International Commission on Radiological Protection
IRTS	Integrated Radwaste Treatment System
ISMS	Integrated Safety Management System
ISO	International Organization for Standardization
LAS	Linear Alkylate Sulfonate
LDR	Land Disposal Restriction
LIMS	Laboratory Information Management System
LLD	Lower Limit of Detection
LLW	Low-level (radioactive) Waste
LLWTF	Low-level (Liquid) Waste Treatment Facility
LPS	Liquid Pretreatment System
LSA	Lag Storage Area
LTR	License Termination Rule
LWTS	Liquid Waste Treatment System
MDC	Minimum Detectable Concentration
MDL	Method Detection Limit
MSDS	Material Safety Data Sheet
MTAR	Monthly Trend Analysis Report
NCRP	National Council on Radiation Protection and Measurements
NDA	Nuclear Regulatory Commission-licensed Disposal Area
NEPA	National Environmental Policy Act
NERL ESD	National Exposure Research Laboratory, Environmental Sciences Division

NESHAP	National Emission Standards for Hazardous Air Pollutants
NFS	Nuclear Fuel Services, Inc.
NIST	National Institute of Standards and Technology
NOI	Notice of Intent
NO_x	Nitrogen Oxides
NPOC	Nonpurgeable Organic Carbon
NPGRS	North Plateau Groundwater Recovery System
NPDES	National Pollutant Discharge Elimination System
NRC	(U.S.) Nuclear Regulatory Commission
NYCRR	New York Official Compilation of Codes, Rules, and Regulations
NYSDEC	New York State Department of Environmental Conservation
NYSDOH	New York State Department of Health
NYSDEL	New York State Department of Labor
NYSERDA	New York State Energy Research and Development Authority
NYSGS	New York State Geological Survey
OH/WVDP	Department of Energy, West Valley Demonstration Project
OSHA	Occupational Safety and Health Act
OSR	Operational Safety Requirement
OVE	Outdoor Ventilated Enclosure
PC	Permit-to-Construct
PCB	Polychlorinated Biphenyl
PQL	Practical Quantitation Limit
PTW	Permeable Treatment Wall
PVS	Permanent Ventilation System
PVU	Portable Ventilation Unit
QA	Quality Assurance
QAP	Quality Assessment Program (also Quality Assurance Program)
QC	Quality Control
RCRA	Resource Conservation and Recovery Act
RFI	RCRA Facility Investigation
RMW	Radioactive Mixed Waste
SAR	Safety Analysis Report
SARA	Superfund Amendments and Reauthorization Act
SD	Standard Deviation
SDA	(New York) State-licensed Disposal Area
SDWA	Safe Drinking Water Act
SER	Site Environmental Report
SI	Système Internationale (International System of Units)
SO₂	Sulfur Dioxide
SPDES	State Pollutant Discharge Elimination System
STS	Supernatant Treatment System
SVOC	Semivolatile Organic Compound
SWMU	Solid Waste Management Unit

Acronyms and Abbreviations

SSWMU	Super Solid Waste Management Unit
TBP	Tributyl Phosphate
TDS	Total Dissolved Solids
TLD	Thermoluminescent Dosimetry
TOC	Total Organic Carbon
TOX	Total Organic Halogens
TRI	Toxic Release Inventory
TRU	Transuranic
TSCA	Toxic Substances Control Act
TSDF	Treatment, Storage, and Disposal Facility
USGS	United States Geological Survey
VOC	Volatile Organic Compound
WNYNSC	Western New York Nuclear Service Center
WRG	Work Review Group
WVDP	West Valley Demonstration Project
WVNS	West Valley Nuclear Services Company
WWTF	Wastewater Treatment Facility

Units of Measure

	<i>Symbol</i>	<i>Name</i>		<i>Symbol</i>	<i>Name</i>
Radioactivity	Ci	curie	Volume	cm ³	cubic centimeter
	mCi	millicurie (1E-03 Ci)		L	liter
	μCi	microcurie (1E-06 Ci)		mL	milliliter
	nCi	nanocurie (1E-09 Ci)		m ³	cubic meter
	pCi	picocurie (1E-12 Ci)		gal	gallon
	Bq	becquerel (27 pCi)		ft ³	cubic feet

ppm	parts per million
ppb	parts per billion

	<i>Symbol</i>	<i>Name</i>		<i>Symbol</i>	<i>Name</i>
Dose	Sv	sievert (100 rems)	Area	ha	hectare (10,000 m ²)
	mSv	millisievert (1E-03 Sv)			
	Gy	gray (100 rads)			
	mrem	millirem			

	<i>Symbol</i>	<i>Name</i>		<i>Symbol</i>	<i>Name</i>
Concentration	μCi/mL	microcuries per milliliter	Length	m	meter
	mL/L	milliliters per liter		km	kilometer (1E+03 m)
	μCi/g	microcuries per gram		cm	centimeter (1E-02 m)
	mg/L	milligrams per liter		mm	millimeter (1E-03 m)
	μg/mL	micrograms per milliliter		μm	micrometer (1E-06 m)
	pCi/L	picocuries per liter			

	<i>Symbol</i>	<i>Name</i>		<i>Symbol</i>	<i>Name</i>
Mass	g	gram	Flow Rate	mgd	million gallons per day
	kg	kilogram (1E+03 g)		cfm	cubic feet per minute
	mg	milligram (1E-03 g)		Lpm	liters per minute
	μg	microgram (1E-06 g)		gpd	gallons per day
	ng	nanogram (1E-09 g)			
	t	metric ton (1E+06 g)			

Unit Prefixes

centi	$1/100 = 1 \times 10^{-2} = 0.01 = E-02$
milli	$1/1,000 = 1 \times 10^{-3} = 0.001 = E-03$
micro	$1/1,000,000 = 1 \times 10^{-6} = 0.000001 = E-06$
nano	$1/1,000,000,000 = 1 \times 10^{-9} = 0.000000001 = E-09$
pico	$1/1,000,000,000,000 = 1 \times 10^{-12} = 0.000000000001 = E-12$

Scientific Notation

Scientific notation may be used to express very large or very small numbers. A number smaller than 1 is expressed with a negative exponent, e.g., 1.3×10^{-6} . To convert this number to decimal form, the decimal point is moved left by the number of places equal to the exponent. Thus, 1.3×10^{-6} becomes 0.0000013.

A number larger than 10 is expressed with a positive exponent, e.g., 1.3×10^6 . To convert this number to decimal form, the decimal point is moved right by the number of places equal to the exponent. Thus, 1.3×10^6 becomes 1,300,000.

The power of 10 also is expressed as E. For example, 1.3×10^{-6} also can be written as 1.3E-06. The chart below shows equivalent exponential and decimal values.

1.0×10^2	=	1E+02	=	100
1.0×10^1	=	1E+01	=	10
1.0×10^0	=	1E+00	=	1
1.0×10^{-1}	=	1E-01	=	0.1
1.0×10^{-2}	=	1E-02	=	0.01
1.0×10^{-3}	=	1E-03	=	0.001
1.0×10^{-4}	=	1E-04	=	0.0001
1.0×10^{-5}	=	1E-05	=	0.00001
1.0×10^{-6}	=	1E-06	=	0.000001
1.0×10^{-7}	=	1E-07	=	0.0000001
1.0×10^{-8}	=	1E-08	=	0.00000001

One Millionth

Conversion Chart

Both traditional radiological units (curie, roentgen, rad, rem) and the Systeme Internationale (S.I.) units (becquerel, gray, sievert) are used in this report. Nonradiological measurements are presented in metric units with the English equivalent noted in parentheses.

1 centimeter (cm)	=	0.3937 inches (in)
1 meter (m)	=	39.37 inches (in) = 3.28 feet (ft)
1 kilometer (km)	=	0.62 miles (mi)
1 milliliter (mL)	=	0.0338 ounces (oz)
	=	0.061 cubic inches (in ³)
	=	1 cubic centimeter (cm ³)
1 liter (L)	=	1.057 quarts (qt)
	=	61.02 cubic inches (in ³)
1 gram (g)	=	0.0353 ounces (oz)
	=	0.0022 pounds (lbs)
1 kilogram (kg)	=	2.2 pounds (lbs)
1 curie (Ci)	=	3.7×10^{10} disintegrations per second (d/s)
1 becquerel (Bq)	=	1 disintegration per second (d/s)
	=	27 picocuries (pCi)
1 roentgen (R)	=	2.58×10^{-4} coulombs per kilogram of air (C/kg)
1 rad	=	0.01 gray (Gy)
1 rem	=	0.01 sievert (Sv)
1 millirem (mrem)	=	0.001 rem

Distribution

R. Day	DOE-HQ	F. Galpin	USEPA- Washington, D.C.
R. Natoli	DOE-HQ	P. Giardina	USEPA-Region II
G. Podonsky	DOE-HQ	J. Gorman	USEPA-Region II
M. Rawlings	DOE-HQ	M. Janet	USEPA-Region II
		B. Quinn	USEPA-Region II
R. Folker	DOE-OH	M. Winslow	USEPA-Region II
S. Smiley	DOE-OH	W. Kappel	USGS
L. Stevens	DOE-OH		
R. Tormey	DOE-OH	L. Maybee	SNIEPD
		E. Wohlers	CCHD
T. Jackson	NRC-Region 1		
J. Parrott	NRC-HQ		
		DOE Office of Scientific and Technical Information	
E. Dassatti	NYSDEC-Albany	A. Houghton	U.S. Congressman, 31st Dist.
T. DiGiulio	NYSDEC-Albany	T. Reynolds	U.S. Congressman, 27th Dist.
P. Merges	NYSDEC- Albany	J. Quinn	U.S. Congressman, 30th Dist.
R. Murphy	NYSDEC-Albany	C. Schumer	U.S. Senator, New York
T. Rice	NYSDEC-Albany	P. Moynihan	U.S. Senator, New York
M. Wang	NYSDEC-Albany	P. McGee	New York Senator, 56th Dist.
R. Baker	NYSDEC-Region 9	W. Stachowski	New York Senator, 58th Dist.
M. Emery	NYSDEC-Region 9	D. Burling	New York Assemblyman, 147th Dist.
M. Jackson	NYSDEC-Region 9		
J. Krajewski	NYSDEC-Region 9	P. Piciulo	NYSERDA
F. Shattuck	NYSDEC-Region 9		
		R. Fakundiny	NYSGS
J. Huang	NYSDOH-Albany		
K. Rimawi	NYSDOH-Albany		
B. Ignatz	NYSDOH-Buffalo		

*Buffalo News, Buffalo, New York **

*Salamanca Republican Press, Salamanca, New York **

*Springville Journal, Springville, New York **

Olean Public Library, Olean, New York

West Valley Central School Library, West Valley, New York

Town of Concord Hulbert Library, Springville, New York

Central Buffalo Public Library, Buffalo, New York

Ashford Office Complex Reading Room, Ashford, New York

Seneca Nation of Indians Library, Cattaraugus Reservation, Irving, New York

Seneca Nation of Indians Library, Allegheny Reservation, Salamanca, New York

** Notice of public availability*

Acknowledgments

This report was compiled and edited by E.D. Picazo and Valerie Marvin of the URS/Dames & Moore West Valley Demonstration Project staff. Technical preparers and reviewers are listed below.

Atkinson, C.E.	Lowes, E.A.
Banzer, C.B.	Maloney, M.N.
Biedermann, C.A.	Martin, E.B.
Bleech, J.P.	Mazik, G.L.
Bogoniewski, J.E.	McGarry, M.F.
Brown, D.D.	McVean, S.A.
Calderon, L.M.	McNeil, N.A.
Centrich, G.F.	Moore, H.R.
Chamberlain, J.D.	Moorehead, L.M.
Chilson, L.J.	Moran, R.E.
Coco, L.M.	Nagel, A.S.
Cohen, F.J.	Paskuly, S.J.
Dinsmore, E.F.	Pendl, M.P.
Dubiel, B.	Repp, C.L.
Eigenbrod, E.M.	Roberts, C.J.
Fox, J.R.	Roesch, C.T.
Gerber, J.R.	Sagi, A.V.
Gramling, J.M.	Savage, E.D.
Griffith, C.A.	Scalise, D.M.
Hadden-Carter, P.J.	Sheridan, M. J.
Heim, B.F.	Skiba, K.S.
Hemann, M.R.	Smiley, S.
Hoch, J.J.	Steiner, A.F.
Johnson, P.M.	Steiner, D.R.
Kean, W.M.	Thompson, S.
Keller, K.D.	Valenti, P.J.
Klenk, D.P.	Vero, T.J.
Komasara, S.M.	Wilcox, J.M.
Kutina, L.S.	Winkler, C.J.
Lawrence, R.E.	Wrotniak, C.M.
Little, J.L.	Zadins, Z.Z.
Loop, M.C.	Zuppinger, W.L.